Report of the WOAH *ad hoc* Group on susceptibility of crustacean species to infection with WOAH listed diseases

Original: English (EN)

April 2025

Table of Contents

List of Annexes

World Organisation for Animal Health
Founded as OIE

Standards Department
[ACC.Secretariat@woah.org]

12, rue de Prony
75017 Paris, France

T. +33 (0)1 44 15 18 88
F. +33 (0)1 42 67 09 87
woah@woah.org
www.woah.org

1. Introduction

This report covers the work of the WOAH *ad hoc* Group on Susceptibility of Crustacean Species to Infection with WOAH Listed Diseases (the *ad hoc* Group) who met in person in Paris, France from 8 to 10 April 2025.

An *ad hoc* Group on Susceptibility of Crustacean Species to Infection with WOAH Listed Diseases previously completed assessments for infection with *Aphanomyces astaci* (crayfish plague) in October 2015. The *ad hoc Group* convened in April to conduct another assessment as there is new scientific evidence on the susceptibility of crustaceans to infection with *A. astaci* to be reviewed.

The list of participants and the Terms of Reference are presented in Annex 1 and Annex 2, respectively.

2. Methodology

The *ad hoc* Group applied criteria, as outlined in Chapter 1.5. 'Criteria for listing species as susceptible to infection with a specific pathogen', of the WOAH *Aquatic Animal Health Code* (the *Aquatic Code*), to potential host species in order to determine susceptibility to infection with *A. astaci*.

A three-stage approach, as described in Article 1.5.3., was used to assess the susceptibility of a species to infection with *A. astaci* and was based on:

Stage 1. Criteria to determine whether the route of transmission is consistent with natural pathways for infection (as described in Article 1.5.4.);

Stage 2. Criteria to determine whether the pathogenic agent has been adequately identified (as described in Article 1.5.5.);

Stage 3. Criteria to determine whether the evidence indicates that presence of the pathogenic agent constitutes an infection (as described in Article 1.5.6.):

A. The pathogenic agent is multiplying in the host, or developing stages of the pathogenic agent are present in or on the host;
B. Viable pathogenic agent is isolated from the proposed susceptible species, or infectivity is demonstrated by way of transmission to naïve individuals;
C. Clinical or pathological changes are associated with the infection;
D. The specific location of the pathogen corresponds with the expected target tissues.

Details of the three-stage approach applied by the *ad hoc* Group for infection with *A. astaci*, including any additional considerations are described below:

2.1. Stage 1: Criteria to determine whether the route of transmission is consistent with natural pathways for the infection:

Table 1 describes the route of transmission for infection with *A. astaci* used by the *ad hoc* Group when applying Stage 1 to assess susceptibility to infection with *A. astaci*, as well as some considerations.

Table 1: Route of transmission for infection with crayfish plague

Route of transmission	Considerations
Natural exposure included situations where infection had occurred without experimental intervention (e.g. infection in wild or farmed populations) OR Non-invasive experimental procedures such as cohabitation with infected hosts or infection by immersion or *per os.*	Experimental infection via invasive routes (i.e. injection) was not considered a natural route of transmission and therefore such studies were not evaluated.

2.2. Stage 2: Criteria to determine whether the pathogenic agent has been adequately identified:

Table 2 describes the pathogen identification methods for infection with *A. astaci* used by the *ad hoc* Group when applying Stage 2 to assess susceptibility to infection with *A. astaci*, as well as some considerations.

Table 2: Pathogen identification for infection with *A. astaci*

Pathogen Identification (*A. astaci*)	Considerations
Real-time PCR followed by sequence analysis (e.g. Vralstad *et al.,* 2009; Strand *et al.*, 2023) OR Conventional PCR followed by sequence analysis (e.g. Oidtmann *et al.*, 2006)	Due to the repeated discovery of new *Aphanomyces* strains, sequencing of amplicons from real-time PCR assay is required to confirm identity of fungal strain.

2.3. Stage 3: Criteria to determine whether the evidence indicates that presence of the pathogenic agent constitutes an infection:

Table 3 describes the evidence of infection used by the *ad hoc* Group when applying Stage 3 to assess susceptibility to infection with *A. astaci*.

Table 3: Evidence of infection with *A. astaci*

Evidence of infection			
A: Replication	**B: Viability / Infectivity**	**C: Pathology / Clinical signs**	**D: Location**
1. Presence of *A. astaci* developing hyphae with/without sporulation in the cuticle and/or underlying tissues; OR 2. Transmission from suspect individual to uninfected individual of the same species[1], AND Demonstration of increased copy number over time with qPCR for an experimental infection with confirmed *A. astaci*.	1. *A. astaci* can be cultured in artificial media from suspect cases and identified using PCR followed by sequencing; OR 2. Single passage bioassay in uninfected[2] animals of any susceptible host species and confirmation of pathogen identification[3].	1. Presence of fungal hyphae 7 to 9 µm wide in the cuticle and underlying tissues associated with haemocytic infiltration with/without melanisation. OR 2. Gross pathology such as localised whitening of the muscle under the infected cuticle. OR 3. Sudden mass mortality, and/or clinical signs such as appearance during daylight, loss of escape reflex and loss of coordination.	The tissue that becomes initially infected is the exoskeleton cuticle. Soft cuticle, as is found on the ventral abdomen and around joints, is preferentially affected; however, *A. astaci* will eventually spread throughout connective tissue and haemal sinuses.

Note: The detection of *A. astaci* encoded mRNA by reverse transcriptase-PCR with increased copy number over time in an infected host is a method that could be considered for stage 3A when validated methods are available.

---

[1] To demonstrate replication by this approach requires evidence for transmission in confirmed pathogen-free hosts of the same species as being assessed.

[2] An uninfected animal must have tested negative prior to the commencement of experimental conditions.

[3] To demonstrate viability or infectivity of the target pathogen within the host being assessed, single passage in any known susceptible SPF host is required.

3. Scoring and assessments

Table 4 describes the different scores and outcomes of the assessments undertaken by the *ad hoc* Group.

Table 4: Scores

Score	Outcome
1	Species assessed as susceptible (as described in Article 1.5.7.). These species were proposed for inclusion in Article 9.2.2. of Chapter 9.2. 'Infection with *Aphanomyces astaci* (crayfish plague)' of the *Aquatic Code* and Section 2.2.1. of Chapter 2.2.8. 'Infection with *Aphanomyces astaci* (crayfish plague)' of the *Aquatic Manual*.
2	Species assessed as having incomplete evidence for susceptibility (as described in Article 1.5.8.) were proposed for inclusion in Section 2.2.2. 'Species with incomplete evidence for susceptibility' of Chapter 2.2.2. 'Infection with *Aphanomyces astaci* (crayfish plague)' of the *Aquatic Manual*.
3	Species assessed as not meeting the criteria or for which there was unresolved or conflicting information. These species were not proposed for inclusion in either the *Aquatic Code* or the *Aquatic Manual*. The exceptions were species where pathogen-specific positive PCR results have been reported but an active infection has not been demonstrated. These species were proposed for inclusion in the second paragraph in Section 2.2.2. Species with incomplete evidence for susceptibility of Chapter 2.2.2. 'Infection with *Aphanomyces astaci* (crayfish plague)' of the *Aquatic Manual*.
4	Species assessed as non-susceptible.
NS	Species not scored due to insufficient or irrelevant information.

Table 5 summarises all of the assessments for host susceptibility to infection with crayfish plague undertaken by the *ad hoc* Group together with the outcomes and relevant references. For Stage 3, as described in Chapter 1.5. of the *Aquatic Code*, evidence to support criterion A alone was sufficient to determine infection. In the absence of evidence to meet criterion A, satisfying at least two of criteria B, C or D were required to determine evidence of infection.

Assessment Table Key:

N:	Natural infection	YES:	Demonstrates criterion is met	ND:	Not determined
E:	Experimental (non-invasive)	NO:	Criterion is not met	NS:	Not scored
EI:	Experimental invasive	I:	Inconclusive	N/A:	Not applicable

Table 5: Assessments for infection with *A. astaci*

Family	Scientific name	Common name	Stage 1: Route of infection	Stage 2: Pathogen Identification	Stage 3: Evidence of Infection				Outcome	References
					A	B	C	D		
Score 1										
Astacidae	*Astacus astacus*	noble crayfish	N	PCR and sequence analysis [4]	ND	YES	ND	YES	1	Hochwimmer *et al.*, 2009
			N	qPCR and sequence analysis	ND	YES	ND	YES	1	Jussila *et al.*, 2021
			N	PCR and sequence analysis	ND	YES	YES	YES	1	Kozubíková-Balcarová *et al.*, 2013
			N	qPCR and sequence analysis	ND	ND	ND	YES	2	Mojžišová *et al.*, 2020
	Austropotamobius pallipes	no common name	N	PCR and sequence analysis	YES	ND	YES	YES	1	Cammá *et al.*, 2010
			N	PCR and sequence analysis	YES	YES	YES	YES	1	Casabella-Herrero *et al.*, 2023
			N	PCR and sequence analysis	ND	YES	YES	YES	1	Kozubíková-Balcarová *et al.*, 2013
			N	qPCR, PCR and sequence analysis	ND	ND	YES	YES	1	Mirimin *et al.*, 2022
			N	PCR and sequence analysis	YES	YES	YES	YES	1	Rezinciuc *et al.*, 2013
	Pacifastacus leniusculus	signal crayfish	N	PCR and sequence analysis [4]	ND	YES	ND	YES	1	Hochwimmer *et al.*, 2009
			N	PCR and sequence analysis	YES	ND	YES	YES	1	Martín-Torrijos *et al.*, 2019
			N	PCR and sequence analysis	ND	ND	YES	YES	1	Martín-Torrijos *et al.*, 2018

---

[4] Primer used for this paper was not listed as a validated method as described in the *Aquatic Manual*, as this was followed by sequencing to confirm pathogen identification Stage 2 was considered met.

Family	Scientific name	Common name	Stage 1: Route of infection	Stage 2: Pathogen Identification	Stage 3: Evidence of Infection				Outcome	References
					A	B	C	D		
	Pontastacus leptodactylus	Danube crayfish	N	PCR and sequence analysis	ND	ND	YES	YES	1	Alvanou *et al.*, 2024
			N	qPCR and sequence analysis	ND	ND	ND	YES	2	Kokko *et al.,* 2018
			N	qPCR and sequence analysis	ND	ND	ND	YES	2	Kokko *et al.,* 2012
Cambaridae	*Faxonius limosus*	spinycheek crayfish	N	PCR and sequence analysis	ND	ND	ND	YES	2	Kozubíková *et al.*, 2009
			N	PCR and sequence analysis	ND	YES	YES	YES	1	Kozubíková-Balcarová *et al.*, 2013
			N, E	PCR and sequence analysis	YES	YES	YES	YES	1	Kozubíková *et al.*, 2011a
	Faxonius obscurus	no common name	N	PCR and sequence analysis	ND	YES	ND	YES	1	Butler *et al.*, 2020
	Faxonius rusticus	no common name	N	PCR and sequence analysis	ND	ND	ND	YES	2	Butler *et al.*, 2020
			N	qPCR and sequence analysis	YES	YES	YES	YES	1	Panteleit *et al.*, 2019
	Procambarus alleni	no common name	N	qPCR and sequence analysis	ND	ND	ND	YES	2	Mojžišová *et al.,* 2024
			N	qPCR and sequence analysis	YES	YES	NO	YES	1	Mrugała *et al.*, 2015
	Procambarus clarkii	red swamp crayfish	N	PCR and sequence analysis	YES	ND	YES	YES	1	Aquiloni *et al.,* 2011
			N	PCR and sequence analysis	ND	ND	YES	YES	1	Martín-Torrijos *et al.*, 2018
			N	PCR and sequence analysis	YES	YES	YES	YES	1	Martín-Torrijos *et al.*, 2021a
			N	PCR and sequence analysis	YES	ND	YES	YES	1	Martín-Torrijos *et al.*, 2021b

Family	Scientific name	Common name	Stage 1: Route of infection	Stage 2: Pathogen Identification	Stage 3: Evidence of Infection				Outcome	References
					A	B	C	D		
Cambaroididae	*Cambaroides japonicus*	no common name	N	PCR and sequence analysis	YES[5]	ND	YES	YES	1	Martín-Torrijos *et al.*, 2018
Parastacidae	*Cherax quadricarinatus*	red claw crayfish	N	PCR and sequence analysis	YES	ND	YES	YES	1	Hsieh *et al.*, 2016
			N	NO (qPCR only)	ND	ND	NO	YES	NS	Mrugała *et al.*, 2015
Potamidae	*Potamon potamios*	no common name	N	qPCR and sequence analysis	YES	ND	YES	YES	1	Svoboda *et al.*, 2014b
Varunidae	*Eriocheir sinensis*	Chinese mitten crab	N	qPCR and sequence analysis	ND	ND	ND	YES	2	Schrimpf *et al.*, 2014
			N	qPCR and sequence analysis	YES[6]	ND	YES	YES	1	Svoboda *et al.*, 2014b
			N	qPCR and sequence analysis	ND	ND	ND	YES	2	Tilmans *et al.*, 2014
Score 2										
Astacidae	*Austropotamobius torrentium*	no common name	N	qPCR and sequence analysis	ND	ND	NO	YES	2	Kušar *et al.*, 2013
			N	qPCR and sequence analysis	ND	ND	ND	YES	2	Mojžišová *et al.*, 2020
Cambaridae	*Cambarus bartonii*	Appalachian brook crayfish	N	qPCR and sequence analysis	ND	ND	ND	YES	2	Petrusek *et al.*, 2025
	Cambarellus (Cambarellus) montezumae	no common name	N	PCR and sequence analysis	ND	ND	NO	YES	2	Martín-Torrijos *et al.*, 2023
	Cambarellus patzcuarensis	no common name	N	qPCR and sequence analysis	ND	ND	NO	YES	2	Mrugała *et al.*, 2015

---

[5] Hyphae identified in photographs included in report.

[6] Hyphae identified in one of six animals examined.

Family	Scientific name	Common name	Stage 1: Route of infection	Stage 2: Pathogen Identification	Stage 3: Evidence of Infection				Outcome	References
					A	B	C	D		
	Cambarellus shufeldtii	Cajun dwarf crayfish	N	PCR and sequence analysis	ND	YES	ND	ND	2	Martín-Torrijos *et al.*, 2021c[7]
	Faxonius immunis	calico crayfish	N	NO (qPCR only)	ND	ND	ND	YES	NS	Filipová *et al.*, 2013
			N	PCR and sequence analysis	ND	ND	ND	YES	2	Petrusek *et al.*, 2025
	Faxonius propinquus	no common name	N	qPCR and sequence analysis	ND	ND	ND	YES	2	Petrusek *et al.*, 2025
	Faxonius virilis	no common name	N	PCR and sequence analysis	ND	ND	ND	YES	2	Butler *et al.*, 2020
			N	qPCR and sequence analysis	ND	ND	ND	YES	2	Petrusek *et al.*, 2025
			N	qPCR and sequence analysis	ND	ND	ND	YES	2	Tilmans *et al.*, 2014
	Procambarus enoplosternum	no common name	N	qPCR and sequence analysis	ND	ND	NO	YES	2	Mrugała *et al.*, 2015
	Procambarus fallax	no common name	N	qPCR and sequence analysis	ND	ND	ND	YES	2	Keller *et al.*, 2014
			N	NO (qPCR only)	YES	YES	NO	YES	NS	Mrugała *et al.*, 2015[8]
	Procambarus llamasi	no common name	N	qPCR and sequence analysis	ND	ND	NO	YES	2	Mrugała *et al.*, 2015
			N	qPCR and sequence analysis	ND	ND	ND	YES	2	Panteleit *et al.*, 2017
	Procambarus raneyi	no common name	N	qPCR and sequence analysis	ND	YES	ND	ND	2	Martín-Torrijos *et al.*, 2021c[7]

---

[7] In Martín-Torrijos *et al.*, 2021 animals were held individually to moult, moults were then incubated for three days prior to examination. As the tissue was not analysed via PCR immediately following the moult, the AHG considered there to be an opportunity for cross-contamination and criterion 3D was not met.

[8] Unable to score paper due to lack of sequencing, hyphae were identified and culture performed.

Family	Scientific name	Common name	Stage 1: Route of infection	Stage 2: Pathogen Identification	Stage 3: Evidence of Infection				Outcome	References
					A	B	C	D		
	Procambarus vazquezae	no common name	N	qPCR and sequence analysis	ND	ND	NO	YES	2	Mrugała *et al.*, 2015
	Procambarus virginalis	no common name	N	qPCR and sequence analysis	ND	ND	NO	YES	2	Mojžišová *et al.*, 2024
			N	qPCR and sequence analysis	ND	ND	NO	YES	2	Mojžišová *et al.*, 2022
Score 3										
Cambaridae	*Cambarus latimanus*	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Cambarus striatus	Hay crayfish	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Creaserinus fodiens	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Creaserinus oryktes	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Faxonius etnieri	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Faxonius tricuspis	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Faxonius wrighti	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Procambarus ablusus	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Procambarus acutus	white river crayfish	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Procambarus hayi	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Procambarus hybus	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]

Family	Scientific name	Common name	Stage 1: Route of infection	Stage 2: Pathogen Identification	Stage 3: Evidence of Infection				Outcome	References
					A	B	C	D		
	Procambarus pubescens	no common name	N	qPCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Procambarus troglodytes	no common name	N	qPCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Procambarus viaeviridis	vernal crayfish	N	qPCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
	Procambarus vioscai	no common name	N	qPCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
Palaemonidae	*Palaemon kadiakensis*	no common name	N	PCR and sequence analysis	ND	ND	ND	ND	3	Martín-Torrijos *et al.*, 2021c[7]
Not scored (NS)										
Atyidae	*Neocaridina davidi*	no common name	E	NO (qPCR only)	ND	ND	ND	ND	NS	Svoboda *et al.* , 2014a
Cambaridae	*Cambarellus (Pandicambarus) texanus*	no common name	N	Negative (qPCR)[9]	ND	ND	ND	ND	NS	Mrugała *et al.*, 2015
	Cambarus fasciatus	Etowah crayfish	N	NO (qPCR only)	ND	ND	ND	ND	NS	Panteleit *et al.*, 2017
	Cambarus manningi	no common name	N	NO (qPCR only)	ND	ND	ND	ND	NS	Panteleit *et al.*, 2017
	Cambarus robustus	Big water crayfish	N	Negative (qPCR)	ND	ND	ND	ND	NS	Petrusek *et al.*, 2025
	Faxonius leptogonopodus	no common name	N	Negative (qPCR)[10]	ND	ND	ND	ND	NS	Mrugała *et al.*, 2015
	Orconectes harrisonii	belted crayfish	N	Negative (qPCR only)	ND	ND	ND	ND	NS	Mrugała *et al.*, 2015
	Orconectes luteus	golden crayfish	N	NO (qPCR only)	ND	ND	ND	ND	NS	Panteleit *et al.*, 2017

---

[9] 20 animals tested with qPCR and negative results recorded.

[10] Two individuals tested and negative results recorded on qPCR.

Family	Scientific name	Common name	Stage 1: Route of infection	Stage 2: Pathogen Identification	Stage 3: Evidence of Infection				Outcome	References
					A	B	C	D		
	Orconectes neglectus	ringed crayfish	N	NO (qPCR only)	ND	ND	ND	ND	NS	Panteleit *et al.*, 2017
	Orconectes ozarkae	Ozark crayfish	N	NO (qPCR only)	ND	ND	ND	ND	NS	Panteleit *et al.*, 2017
	Orconectes palmeri	gray-speckled crayfish	N	Negative (qPCR)	ND	ND	ND	ND	NS	Mrugała *et al.*, 2015
	Procambarus pilosimanus	no common name	N	NO (qPCR only)	ND	ND	ND	YES	NS	Peiró *et al.*, 2016
	Procambarus simulans	no common name	N	NO (qPCR only)	ND	ND	ND	ND	NS	Panteleit *et al.*, 2017
Gecarcinucidae	*Parathelphusa convexa*	No common name	N	NO (qPCR only)	ND	ND	ND	YES	NS	Putra *et al.*, 2018
Palaemonidae	*Macrobrachium dayanum*	Kaira river prawn	E	NO (qPCR only)	NO	ND	ND	NO	NS	Svoboda *et al.*, 2014a
	Macrobrachium lancasteri	Riceland prawn	N	NO (qPCR only)	ND	ND	ND	YES	NS	Putra *et al.*, 2018
Pallaseidae	*Pallaseopsis quadrispinosa*	no common name	N	NO (qPCR only)	ND	ND	ND	ND	NS	Svoboda *et al.*, 2014b
Parastacidae	*Cherax destructor*	no common name	E	No (qPCR only)	ND	ND	YES	ND	NS	Mrugała *et al.*, 2016
	Cherax holthuisi	no common name	N	Negative (qPCR)[11]	ND	ND	ND	ND	NS	Mrugała *et al.*, 2015
	Cherax lorentzi	no common name	N	Negative (qPCR)[12]	ND	ND	ND	ND	NS	Mrugała *et al.*, 2015
	Parastacus brasiliensis	no common name	N	NO (qPCR only)	ND	ND	ND	ND	NS	Peiró *et al.*, 2016

---

[11] 5 animals tested with qPCR and negative results recorded.

[12] 5 animals tested with qPCR and negative results recorded.

Family	Scientific name	Common name	Stage 1: Route of infection	Stage 2: Pathogen Identification	Stage 3: Evidence of Infection				Outcome	References
					A	B	C	D		
	Parastacus defossus	no common name	N	NO (qPCR only)	ND	ND	ND	YES	NS	Peiró *et al*., 2016
	Parastacus pilimanus	no common name	N	NO (qPCR only)	ND	ND	ND	ND	NS	Peiró *et al*., 2016

4. Results

The *ad hoc* Group agreed that 13 species meet the criteria for listing as susceptible to infection with *A. astaci* in accordance with Chapter 1.5 of the *Aquatic Code*. These are proposed to be listed in Article 9.2.2 of Chapter 9.2. 'Infection with *A. astaci* (crayfish plague)'. These species are shown in Table 6 below:

Table 6: Species that met the criteria for listing as susceptible to infection with *A. astaci*

Family	Scientific name	Common name
Astacidae	*Astacus astacus*	noble crayfish
	Austropotamobius pallipes	no common name
	Pacifastacus leniusculus	signal crayfish
	Pontastacus leptodactylus	Danube crayfish
Cambaridae	*Faxonius limosus*	spinycheek crayfish
	Faxonius obscurus	no common name
	Faxonius rusticus	no common name
	Procambarus alleni	no common name
	Procambarus clarkii	red swamp crayfish
Cambaroididae	*Cambaroides japonicus*	no common name
Parastacidae	*Cherax quadricarinatus*	red claw crayfish
Potamidae	*Potamon potamios*	no common name
Varunidae	*Eriocheir sinensis*	Chinese mitten crab

14 species were assessed as having incomplete evidence of susceptibility and were proposed to be included in Section 2.2.2 of Chapter 2.2.2. of the *Aquatic Manual*. These species are shown in Table 7 below:

Table 7: Species that have incomplete evidence of susceptibility to infection with *A. astaci*

Family	Scientific name	Common name
Astacidae	*Austropotamobius torrentium*	no common name
Cambaridae	*Cambarus bartonii*	Appalachian brook crayfish
	Cambarellus (Cambarellus) montezumae	no common name
	Cambarellus patzcuarensis	no common name
	Cambarellus shufeldtii	Cajun dwarf crayfish
	Faxonius immunis	calico crayfish
	Faxonius propinquus	no common name
	Faxonius virilis	no common name
	Procambarus enoplosternum	no common name
	Procambarus fallax	no common name
	Procambarus llamasi	no common name
	Procambarus raneyi	no common name

Family	Scientific name	Common name
	Procambarus vazquezae	no common name
	Procambarus virginalis	no common name

Pathogen-specific positive PCR results have been reported in the 16 species listed below in Table 8. These species were proposed to be included in the second paragraph of Section 2.2.2. of Chapter 2.2.2., Infection with *A. astaci* (crayfish plague) of the *Aquatic Manual.*

Table 8: Species with pathogen-specific PCR results for infection with *A. astaci*

Family	Scientific name	Common name
Cambaridae	*Cambarus latimanus*	no common name
	Cambarus striatus	Hay crayfish
	Creaserinus fodiens	no common name
	Creaserinus oryktes	no common name
	Faxonius etnieri	no common name
	Faxonius tricuspis	no common name
	Faxonius wrighti	no common name
	Procambarus ablusus	no common name
	Procambarus acutus	white river crayfish
	Procambarus hayi	no common name
	Procambarus hybus	no common name
	Procambarus pubescens	no common name
	Procambarus troglodytes	no common name
	Procambarus viaeviridis	vernal crayfish
	Procambarus vioscai	no common name
Palaemonidae	*Palaemon kadiakensis*	no common name

5. Naming convention for susceptible species

The scientific names of the host species are in accordance with the World Register of Marine Species (WoRMS) https://www.marinespecies.org/index.php.

The common names of host species are in accordance with FAOTERM (http://www.fao.org/faoterm/collection/faoterm/en/). Where a common name was not found in FAOTERM, the naming was done in accordance with https://www.sealifebase.ca.

6. Comments on the *ad hoc* Group's rationale and decision-making

The *ad hoc* Group agreed that to have an overall species score of '1' the ideal situation was two papers with a score of '1'. However, a single robust study scoring '1' was also considered enough to conclude susceptibility of a species in the absence of conflicting evidence. In addition, when there was a single study scoring '1', the ad hoc Group considered other additional studies which received scored of '2' and '3' as further evidence to support the determination of the susceptibility of a species in the absence of conflicting evidence. Additional studies were still reviewed to check for any supporting or conflicting evidence. When additional papers were identified but the *ad hoc* Group did not consider that they were necessary to assess comprehensively because the species had already been determined as susceptible by other studies, these references were only noted in the list of references (Section 8).

The *ad hoc* Group noted difficulties in finding evidence to assess the susceptibility of crustacean species to infection with *A. astaci*. As described in the *Aquatic Manual*, the repeated discovery of new *Aphanomyces* strains means that sequencing is required to determine the species of *Aphanomyces* in the case of an amplification product in the real-time assay result. Many papers had species that were not scored due to the lack of sequence analysis performed such that pathogen identification in Criteria 2 could not be met. In addition, the lack of histological and epidemiological information in the studies prohibited species from receiving scores of '1' as the criteria in Stage 3 could not be assessed. The *ad hoc* Group highlighted that research which includes sequence analysis and techniques in addition to molecular analysis would allow more fulsome assessments of susceptibility of crustacean species to infection with *A. astaci*.

The *ad hoc* Group noted that papers which were published prior to usage of molecular techniques could not be scored as they did not meet criteria 2 which reflects modern techniques and technologies. However, the *ad hoc* Group emphasised that these papers provided quality information on the pathogenic agent and the infection caused by this agent even though the papers were not scored.

7. Article 1.5.9 Listing of Susceptible species at a taxonomic ranking of Genus or higher

The *ad hoc* Group considered Article 1.5.9., Listing of susceptible species at a taxonomic ranking of Genus or higher, and determined that it is applicable for the susceptible species for crayfish plague identified.

8. References

ALVANOU, M.V., LATTOS, A., CHEIMONOPOULOU, M.T., MICHAELIDIS, B., APOSTOLIDIS, A.P. & GIANTSIS, I.A. (2024). First detection of *Aphanomyces astaci* and its potential responsibility for mass mortalities of *Pontastacus (Astacus) leptodactylus* in Greek lakes. *Journal of Biological Research - Thessaloniki*, **31**.

AQUILONI, L., MARTÍN, M.P., GHERADI, F., DIÉGUEZ-URIBEONDO, J. (2011). The North American crayfish *Procambarus clarkii* is the carrier of the oomycete *Aphanomyces astaci* in Italy. *Biological Invasions*, **13**, 359-367.

BUTLER, E., CRIGLER, P., ROBBINS, G. & BLAIR, J.E. (2020). Preliminary survey of *Aphanomyces sp.* associated with native and invasive crayfish in the Lower Susquehanna watershed of South Central Pennsylvania. *Journal of Freshwater Ecology*, **35(1)**, 223-233, doi: 10.1080/02705060.2020.1779141.

CAMMÁ, C., FERRI, N., ZEZZA, D., MARCACCI, M., PAOLNI, A., RICCHIUTI, L. &LELLI, R. (2010). Confirmation of crayfish plague in Italy: detection of *Aphanomyces astaci* in white clawed crayfish. *Diseases of Aquatic Organisms*, 89, 265-268, doi: 10.3354/dao02207.

CASABELLA-HERRERO, G., HIGUERA-GAMINDEZ, M., AZCONA, V.A., MARTÍN-TORRIJIS, L. & DIÉGUEZ-URBEONDO, J. (2023). *Austropotamobius pallipes* can be infected by two halotypes of *Aphanomyces astaci*: A key example from an outbreak at an ex-situ conservation facility. *Journal of Invertebrate Pathology*, **210**, 107989.

FILIPOVÁ, L., PETRISEK, A., MATASOVÁ, K., DELAUNAY, C. & GRANDJEAN, F. (2013). Prevalence of the crayfish plague pathogen *Aphanomyces astaci* in populations of the signal crayfish *Pacifastacus leniusculus* in France: evaluating the threat to native crayfish. *PLoS One*, **8(7)**, e70157.

HOCHWIMMER, G., TOBER, R., BIBARS-REITER, R., LICEK, E. & STEINBORN, R. (2009). Identification of two GH18 chitinase family genes and their use as targets for detection of the crayfish-plague oomycete *Aphanomyces astaci*. *BMC Microbiology*, **9(184)**, doi: 10.1186/1471-2180-9-184.

HSIEH, C-Y., HUANG, C-W. & PAN, Y-C. (2016). Crayfish plague *Aphanomyces astaci* detected in redclaw crayfish, *Cherax quadricarinatus* in Taiwan. *Journal of Invertebrate Pathology*, **136**, 117-123.

JONES, J.P.G., RASAMY, J.R., HARVEY, A., TOON, A., OIDTMANN, B., HARVEY, A., TOON, A., OIDTMANN, B., RANDRIANARISON, M.H., RAMINOSOA, N. & RAVOAHANGIAMLALA. (2008). The perfect invader: a pathogenic crayfish poses a new threat to Madagascar's freshwater biodiversity. *Biological Invasions*, **11(6)**, 1475-1482.

JUSSILA, J. FRANCESCONI, C., THEISSINGER, K., KOKKO, H. & MAKKONEN, J. (2021). Is *Aphanomyces astaci* losing its stamina: A latent crayfish plague disease agent from Lake Venesjärvi, Finland. *Freshwater Crayfish*, **26(2)**, 139-144.

KELLER, N.S., PFEIFFER, M., ROESSINK, I., SCHULZ, R. & SCHRIMPF, A. (2014). First evidence of crayfish plague agent in populations of the marbled crayfish (*Procrambus fallax forma virginalis*). *Knowledge and Management of Aquatic Ecosystems*, **414(15)**, doi: 10.1051/kmae/2014032.

KOKKO, H., HARLIOGLU, M.M., AYDIN, H., MAKKONEN, J., GÖKMEN, G., AKSU, Ö., JUSSILA, J. (2018). Observations of crayfish plague infections in commercially important narrow-clawed crayfish populations in Turkey. *Knowledge and Management of Aquatic Ecosystems*, **419(10)**, doi: 10.1051/kmae/2018001.

KOKKO, H., KOISTINEN, L., HARLOIĞLU, M.M., MAKKONEN, J., AYDIN, H. & JUSSILA, J. (2012). Recovering Turkish narrow clawed crayfish (*Astacus leptodactylus*) populations carry *Aphanomyces astaci*. *Knowledge and Management of Aquatic Ecosystems*, **404(12)**, doi: 10.1051/kmae/2012006.

KOZUBÍKOVÁ-BALCAROVÁ, E., KOUKOL, O., MARTÍN, M.P., SVOBODA, J., PETRUSEK, A., DIÉGUEZ-URIBEONDO, J. (2013). The diversity of oomycetes on crayfish: Morphological vs. molecular identification of cultures obtained while isolating the crayfish plague pathogen. *Fungal Biology*, **117**, 682-691.

KOZUBÍKOVÁ, E., VILJAMAA-DIRKS, S., HEINIKAINEN, S. & PETRUSEK, A. (2011a). Spiny-cheek crayfish *Orconectes limosus* carry a novel genotype of the crayfish plague pathogen *Aphanomyces astaci*. *Journal of Invertebrate Pathology*, **108(3)**, 214-216.

KOZUBÍKOVÁ, E., FILIPOVÁ, L., KOZÁK, P., ĎURIŠ, Z., MARTÍN, M.P., DIÉGUEZ-URIBEONDO, OIDTMANN, B. & PETRUSEK, A. (2009). Prevalence of the crayfish plague pathogen *Aphanomyces astaci* in invasive American crayfishes in the Czech Republic. *Conservation Biology*, **23(5)**, 1204-1213.

KUŠAR, D., VREZEC, A., OCEPEK, M. & JENCIC, V. (2013). *Aphanomyces astaci* in wild crayfish populations in Slovenia: first report of persistent infection in a stone crayfish *Austropotamobius torrentium* population. *Diseases of Aquatic Organisms*, **103**, 157-169.

MARTÍN-TORRIJOS, L., HERNÁDEZ-PÉREZ, A., MONROY-LÓPEZ, J.F. & DIÉGUEZ-URIBEONDO, J. (2023). *Aphanomyces astaci* in Mexico: A new haplotype from dwarf crayfish *Cambarellus montezumae*. *Journal of Invertebrate Pathology*, **201**, 108000.

MARTÍN-TORRIJOS, L., CORREA-VILLALONA, A.J., PRADILLO, A. & DIÉGUEZ-URIBEONDO, J. (2021a). Coexistence of two invasive species, *Procambarus clarkii* and *Aphanomyces astaci*, in brackish waters of a Mediterranean coastal lagoon. *Frontiers in Ecology and Evolution*, **8**, 622434, doi: 10.3389/fevo.2020.622434.

MARTÍN-TORRIJOS, L., CORREA-VILLALONA, A.J., AZOFEIFA-SOLANO, J., VILLALOBOS-ROJAS, F., WEHRTMANN, I.S. & DIÉGUEZ-URIBEONDO, J. (2021b). First detection of the crayfish plague pathogen *Aphanomyces astaci* in Costa Rica: European mistakes should not be repeated. *Frontiers in Ecology and Evolution*, **9**, 623814.

MARTÍN-TORRIJOS, L., MARTÍNEZ-RÍOS, M., CASABELLA-HERRERO, G., ADAMS, S., JACKSON, C. & DIÉGUEZ-URIBEONDO, J. (2021c). Tracing the origin of the crayfish plague pathogen, *Aphanomyces astaci*, to the Southeastern United States. *Scientific Reports*, **11**, 9332, doi: 10.1038/s41598-021-88704-8.

MARTÍN-TORRIJOS, L., KOKKO, H., MAKKONEN, J., JUSSILA, J., DIÉGUEZ-URIBEONDO, J. (2019). Mapping 15 years of crayfish plague in the Iberian Peninsula: The impact of two invasive species on the endangered native crayfish. *PLoS One*, **14(8)**, e0219223, doi: 10.1371/journal.pone.0219223.

MARTÍN-TORRIJOS, L., KAWAI, T., MAKKONEN, J., JUSSILA, J., KOKKO, H. & DIÉGUEZ-URIBEONDO, J. (2018). Crayfish plague in Japan: A real threat to the endemic *Cambaroides japonicus*. *PLoS One*, **13(4)**, e0195353.

MIRIMIN, L., BRADY, D., GAMMELL, M., LALLY, H., MINTO, C., GRAHAM, C.T., SLATTERY, O., CHESLETT, D., MORRISSEY, T., REYNOLDS, J., WHITE, S. & NELSON, B. (2022). Investigation of the first recent crayfish plague outbreak in Ireland and its subsequent spread in the Bruskey River and surrounding areas. *Knowledge and Management of Aquatic Ecosystems*, **432(13)**, doi: 10.1051/kmae/2022011.

MOJŽIŠOVÁ, M., WEIPERTH, A., GEBAUER, R., LAFFITTE, PATOKA, J., GRANDHEAN, F., KOUBA, A. & PETRUSEK, A. (2024). Diversity and distribution of *Aphanomyces astaci* in a European hotspot of ornamental crayfish introductions. *Journal of Invertebrate Pathology*, **202**, 108040.

MOJŽIŠOVÁ, M., SVOBODOVÁ, J., KOZUBÍKOVÁ-BALCAROVÁ, E., ŠTUNCOVÁ, E., STIFT, R., KOUBA, A. & PETRUSEK, A. (2022). Long-term changes in the prevalence of the crayfish plague pathogen and its genotyping in invasive crayfish species in Czechia. *NeoBiota*, **74**, 105-127, doi: 10.3897/neobiota.74.79087.

MOJŽIŠOVÁ, M., MRUGAŁA, A., KOZUBÍKOVÁ-BALCAROVÁ, E., VLACH, P., SVOBODOVÁ, J. KOUBA, A. &PETRUSEK, A. (2020). Crayfish plague in Czechia: Outbreaks from novel sources and testing for chronic infections. *Journal of Invertebrate Pathology*, **173**, 107390, doi: 10.1016/j.jip.2020.107390.

MRUGAŁA, A., VESELÝ, L., PETRUSEK, A., VILJAMAA-DIRKS, S. & KOUBA, A. (2016). May Cherax destructor contribute to *Aphanomyces astaci* spread in Central Europe? *Aquatic Invasions*, **11(4)**, 459-468, doi: 10.3391/ai.2016.11.4.10.

MRUGAŁA, A., KOZUNIKOVA-BALCAROVA, E., CHUCHOLL, C., CABANILLAS RESINO, S., VILJAMAA-DIRKS, S., VUKIC, J. & PETRUSEK, A. (2015). Trade of ornamental crayfish in Europe as a possible introduction pathway for important crustacean disease: crayfish plague and white spot syndrome. *Biological Invasions*, **17**, 1313-1326.

OIDTMANN, B., GEIGER, S., STEINBAUER, P., CULAS, A. & HOFFMANN, R.W. (2006). Detection of *Aphanomyces astaci* in North American crayfish by polymerase chain reaction. *Diseases of Aquatic Organisms*, **72**, 53-64.

PANTELEIT, J., HORVATH, T., JUSSILA, J., MAKKONEN, J., PERRY, W., SCHULZ, R., THEISSINGER, K. & SCHRIMPF, A. (2019). Invasive rusty crayfish (*Faxonius rusticus*) populations in North America are infected with the crayfish plague disease agent (*Aphanomyces astaci*). *Freshwater Science*, **38(2)**, 425-433.

PANTELEIT, J., KELLER, N.S., KOKKO, H., JUSSILA, J., MAKKONEN, J., THEISSINGER, K. & SCHRIMPF, A. (2017). Investigation of ornamental crayfish reveals new carrier species of the crayfish plague pathogen (*Aphanomyces astaci*). *Aquatic Invasions*, **12(1)**, 77-83, doi: 10.3391/ai.2017.12.1.08.

PEIRÓ, D.F., ALMERÃO, M.P., DELAUNAY, C., JUSSILA, J., MAKKONEN, J., BOUCHON, D., ARAUJO, P.B. & SOUTY-GROSSET, C. (2016). First detection of the crayfish plague pathogen *Aphanomyces astaci* in South America: a high potential risk to native crayfish. *Hydrobiologia*, **781,** 181-190.

PETRUSEK, A., MOJŽIŠOVÁ, M., MIKEŠOVÁ, A., PIÁLKOVÁ, R. & LIEB, D.A. (2025). Prevalence and diversity of *Aphanomyces astaci* in cambarid crayfish of Pennsylvania: where native and introduced hosts meet. *Parasitology*, **1-14**, doi: 10.1017/S0031182025000022.

PUTRA, M.D., BLÁHA, M., WARDIATNO, Y., KRISANTI, M., YONVITNER, JERIKHO, R., KAMAL, M.M., MOJŽIŠOVÁ, BYSTŘICKÝ, P.K., KOUBA, A., KALOUS, L., PETRUSEK, A. & PATOKA, J. (2018). *Procambarus clarkii* (Girard, 1852) and crayfish plague as new threats to biodiversity in Indonesia. Aquatic Conservation: *Marine and Freshwater Ecosystems*, **28(6)**, 1434-1440.

REZINCIUC, S., GALINDO, J., MONTSERRAT, J. & DIÉGUEZ-URIBEONDO, J. (2013). AFLP-PCR and RAPD-PCR evidences of the transmission of the pathogen *Aphanomyces astaci* (Oomycetes) to wild populations of European crayfish from the invasive crayfish species, *Procambarus clarkii*. *Fungal Biology*, **118(7)**, 612-620.

SCHRIMPF, A., SCHMIDT, T. & SCHULZ, R. (2014). Invasive Chinese mitten carb (*Eriocheir sinesis*) transmits crayfish plague pathogen (*Aphanomyces astaci*). *Aquatic Invasions*, **9(2)**, 203-209.

STRAND D.A., JINNEROT T., ASPÁN A., VILJAMAA-DIRKS S., HEINIKAINEN S., ROLÉN E. & VRÅLSTAD T. (2023). Molecular detection of *Aphanomyces astaci* – An improved species specific qPCR assay. *Journal of Invertebrate Pathology*, **201**, 108008, doi: 10.1016/j.jip.2023.108008.

SVOBODA, J. ,RUGALA, A., KOZUBÍKOVÁ-BALCAROVÁ, E., KOUBA, A., DIÉGUEZ-URIBEONDO, J.& PETRUSEK, A. (2014a). Resistance to the crayfish plague pathogen, *Aphanomyces astaci*, in two freshwater shrimps. *Journal of Invertebrate Pathology*, **121**, 97-104.

SVOBODA, J., STRAD, D.A., VALSTAD, T., GRANDJEAN, F.E., EDSMAN, L., KOZAK, P., FRISTAD, R.F., BAHADIRKOVA, S. & PETRUSEK, A. (2014b). The crayfish pathogen can infect freshwater inhabiting crabs. *Freshwater Biology*, **59**, 918-929.

TILMANS, M., MRUGAŁA, A., SVOBODA, J., ENGELSMA, M.Y., PETIE, M., SOES, D.M., NUTBEAM-TUFFS, S., OIDTMANN, B., ROESSINK, I. & PETRUSEK., A. (2014). Survey of the crayfish plague pathogen presence in the Netherlands reveals a new *Aphanomyces astaci* carrier. *Journal of Invertebrate Pathology*, **120**, 74-79.

VRALSTAD T., KNUTSEN A.K., TENGS T. & HOLST-JENSEN A. (2009). A quantitative TaqMan MGB real-time polymerase chain reaction based assay for detection of the causative agent of crayfish plague *Aphanomyces astaci*. *Veterinary Microbiology*, **137**, 146-155.

Other references reviewed by the *ad hoc* Group but not referred to in the report above:

ADAMKOWSKA, N., KIELPINSKA, J., PANICZ, R. & ŚMIETANA, P. (2018). Detection of *Aphanomyces astaci* in spiny-creek crayfish from selected water reservoirs of north-western Poland. *Medycyna Weterynaryjna*, **74(6)**, 398-400.

ALDERMAN, D., POLGLASE, J.L. & FRAYLING, M. (1987). *Aphanomyces astaci* pathogenicity under laboratory and field conditions. *Journal of Fish Diseases*, **10**, 385-393.

ALDERMAN, D.J. (1996). Geographical spread of bacterial and fungal diseases of crustaceans. *Review of Science and Technology, OIE*, **15**, 603-632.

ALDERMAN, D.J. & POLGLASE, J.L. (1986). *Aphanomyces astaci*: isolation and culture. *Journal of Fish Diseases*, **9**, 367-379.

ALDERMAN, D.J., POLGLASE, J.L., FRAYLING, M. & HOGGER, J. (1984). Crayfish plague in Britain. *Journal of Fish Diseases*, **7(5)**, 401.

ALONSO, F., TEMIÑO, C., DIÉGUEZ-URIBEONDO, J. (2000). Status of the white-clawed crayfish, *Austropotamobius pallipes* (Lereboullet, 1858), in Spain: Distribution and legislation. *Bulletin Français de la Pêche et de la Pisciculture*, **356**, 31-53.

AYDIN, H., KOKKO, H., MAKKONEN, J., KORTET, R., KUKKONEN, H. & JUSSILA, J. (2014). The signal crayfish is vulnerable to both the As and the Psl-isolates of the crayfish plague. *Knowledge and Management of Aquatic Ecosystems*, **413**, 03.

BECKING, T., MRUGAŁA, A., DELAUNAY, C., SVOBODA, J., RAIMOND, M., VILJAMAA-DIRKS, S., PETRUSEK, A., GRANDJEAN, F. & BRAQUART-VARNIER, C. (2015). Effect of experimental exposure to differently virulent *Aphanomyces astaci* strains on the immune response of the noble crayfish *Astacus astacus*. *Journal of Invertebrate Pathology*, **132**, 115-124.

BRADY, D.J., MEADE, R., REYNOLDS, J.D., VILCINSKAS, A. & THEISSINGER, K. (2024). The crayfish plague pathogen *Aphanomyces astaci* in Ireland. *Microorganisms*, **12**, 102, doi: 10.3390/*Microorganisms*12010102.

CAPRIOLI, R., MRUGAŁA, A., DI DOMENICO, M., CURINI, V., GIANSANTE, C., CAMMÀ, C. & PETRUSEK, A. (2018). *Aphanomyces astaci* genotypes involved in recent crayfish plague outbreaks in central Italy. *Diseases of Aquatic Organisms*, **130**, 209-219.

CAPRIOLI, R., CARGINI, D., MARCACCI, M., CAMMÀ, C., GIASANTE, C. & FERRI, N. (2013). Self-limiting outbreak of crayfish plague in an *Austropotamobius pallipes* population of a river basin in the Arbuzzi region (central Italy). *Diseases of Aquatic Organisms*, **103(2)**, 149-156.

CERENIUS, L., BANGYEEKHUN, E., KEYSER, P., SÖDERHÄLL, I. & SÖDERHÄLL, K. (2003). Host prophenoloxidase expression in freshwater crayfish is linked to increased resistance to the crayfish plague fungus, *Aphanomyces astaci*. *Cellular Microbiology*, **5(5)**, 353-357.

COLLAS, M., BECKING, T., DELPY, M., PFIEGER, M., BOHN, M., REYNOLDS, J. & GRANDHEAN, F. (2016). Monitoring of white-clawed crayfish (*Austropotamobius pallipes*) population during a crayfish plague outbreak followed by rescue. *Knowledge and Management of Aquatic Ecosystems*, **417(1)**, doi: 10.1051/kmae/2015037.

CZECZUGA, B., KOZŁOWSKA, M. & GODLEWSKA, A. (2002). Zoosporic aquatic fungi growing on dead specimens of 29 freshwater crustacean species. *Limnologica*, **32**, 180-193.

DEIDUN, A., SCIBERRAS, A., FORMOSA, J., ZAVA, B., GIANNI, I., CORSINI-FOKA, M. & CRANDALL, K.A. (2018). Invasion by non-indigenous freshwater decapods of Malta and Sicily, central Mediterranean Sea. *Journal of Crustacean Biology*, **38(6)**, 748-753.

DI DOMENICO, M., CURINI, V., CAPRIOLI, R., GIANSANTE, C., MRUGAŁA, A., MOJŽIŠOVÁ, M., CAMMÁ, C. & PETRUSEK, A. (2021). Real-time PCR assays for rapid identification of common *Aphanomyces astaci* genotypes. *Frontiers in Ecology and Evolution*, **9**, 597585, doi: 10.3389/fevo.2021.597585.

DIÉGUEZ-URIBEONDO, J. & SÖDERHÄLL, K. (1993). *Procambarus clarkii* Girard as a vector for the crayfish plague fungus *Aphanomyces astaci* Schikora. *Aquaculture and Fisheries Management*, **24**, 761-765.

DIÉGUEZ-URIBEONDO, J., HUANG, T-S., CERENIUS, L. & SÖDERHÄLL, K. (1995). Physiological adaptation of an *Aphanomyces astaci* strain isolated from the freshwater crayfish *Procambarus clarkii*. *Mycological Research*, **99(5)**, 5740578.

DOBROVIĆ, A., GEČEK, S., KLANJŠČEK, T., HABERLE, I., DRAGIČEVIĆ, P., PAVIĆ, D., PETELINEC, A., BOŠTJANČIĆ, L.L., BONASSIN, L., THEISSINGER, K. & HUDINA, S. (2022). Recurring infection by crayfish plague pathogen only marginally affects survival and growth of marbled crayfish. *NeoBiota*, **77**, 155-177.

EDSMAN, L., NYSTRÖM, P., SANSTRÖM, A., STENBERG, M., KOKKO, H., TIITINEN, V., MAKKONEN, J. & JUSSILA, J. (2015). Eroded swimmeret syndrome in female crayfish *Pacifastacus leniusculus* associated with *Aphanomyces astaci* and *Fusarium spp.* infections. *Diseases of Aquatic Organisms*, **112**, 219-228.

ERCOLI, F., KALDRE, K., PAAVER, T. & GROSS, R. (2019). First record of an established marbled crayfish *Procambarus virginalis* (Lyko, 2017) population in Estonia. *BioInvasions Records*, **8(3)**, 675-683.

FRANCESCONI, C., MAKKONEN, J., SCHRIMPF, JUSSILA, J., KOKKO, H. & THEISSINGER, K. (2021). Controlled infection experiment with *Aphanomyces astaci* provides additional evidence for latent infections and resistance in freshwater crayfish. *Frontiers in Ecology and Evolution*, 9, 647037, doi: 10.3389/fevo.2021.647037.

GRANDJEAN, F., VRÅLSTAD, T., DIÉGUEZ-URIBEONDO, J., JELIĆ, M., MANGOMBI, J., DELAUNAY, C., FILIPOVÁ, L., REZINCIUC, S., KOZUBÍKOVÁ-BALCAROVÁ, E., GUYONNET, D., VILJAMAA-DIRKS, S. & PETRUSEK, A. (2014). Microsatellite markers for direct genotyping of the crayfish plague pathogen *Aphanomyces astaci* (oomyctes) from infected host tissue. *Veterinary Microbiology*, **170**, 317-324.

GROZA, M-I., CUPŞA, D., LOVRENČIĆ & MAGUIRE, I. (2021). First record of the stone crayfish in the Romanian lowlands. *Knowledge and Management of Aquatic Ecosystems*, **422(27)**, doi: 10.1051/kmae/2021026.

JAMES, J., MRUGAŁA, A., OIDTMANN, B., PETRUSEK, A. & CABLE, J. (2017). Apparent interspecific transmission of *Aphanomyces astaci* from invasive signal to virile crayfish in a sympatric wild population. *Journal of Invertebrate Pathology*, **145**, 68-71, doi: 10.1016/j.jip.2017.02.003.

JUSSILA, J., MAGUIRE, I., KOKKO, H., TIITNEN, V. & MAKKONEN, J. (2020). Narrow-clawed crayfish in Finland: *Aphanomyces astaci* resistance and genetic relationship to other selected European and Asian populations. *Knowledge and Management of Aquatic Ecosystems*, **421(30)**, doi: 10.1051/kmae/2020022.

JUSSILA, J., MAKKONEN, J., VAINIKKA, A., KORTET, R. & KOKKO, H. (2014). Crayfish plague dilemma: how to be a courteous killer? *Borreal Environment Research*, **19**, 235-244.

JUSSILA, J., KOKKO, H., KORTET, R. & MAKKONEN, J. (2013). *Aphanomyces astaci* PsI-genotype isolates from different Finnish signal crayfish stocks show variation in their virulence but still kill fast. *Knowledge and Management of Aquatic Ecosystems*, **411(10)**, doi: 10.1051/kmae/2013077.

JUSSILA, J., MAKKONEN, J., VAINIKKA, A., KORTET, R. & KOKKO, H. (2011). Latent crayfish plague (*Aphanomyces astaci*) infection in a robusy wild noble crayfish (*Astacus astacus*) population. *Aquaculture*, **321**, 17-20.

KOZUBÍKOVÁ-BALCAROVÁ, E., BERAN, L., ĎURIŠ, z., FISCHER, D., HORKÁ, I., SVOBODOVÁ, J. & PETRUSEK, A. (2014). Status and recovery of indigenous crayfish populations after recent crayfish plague outbreaks in the Czech Republic. *Etiology Ecology & Evolution*, **26(2-3)**, 299-319, doi:10.1080/03949370.2014.897652.

KOZUBÍKOVÁ, E., VRÅLSTAD, T., FILIPOVÁ, L. & PETRUSEK, A. (2011b). Re-examination of the prevalence of *Aphanomyces astaci* in North American crayfish populations in central Europe by TaqMan MGB real-time PCR. *Diseases of Aquatic Organisms*, **97**, 113-125.

KOZUBÍKOVÁ, E., PUKY, M., KISZELY, P. &PETRUSEK, A. (2010). Crayfish plague pathogen in invasive North American crayfish species in Hungary. *Journal of Fish Diseases*, **33(11)**, 925.

KOZUBÍKOVÁ, E., PETRUSEK, A., ĎURIŠ, Z., KOZÁK P., GEIGER, S., HOFFMAN, R. & OIDTMANN, B. (2006). The crayfish plague in the Czech Republic - Review of recent suspect cases and a pilot detection study. *Bulletin Français de la Pêche et de la Pisciculture*, **380-381**, 1313-1323.

MAGUIRE, I., JELIC, M., KLOBUČAR, G., DELPY, M., DELAUNAY, C. & GRANDJEAN, F. (2016). Prevalence of the pathogen *Aphanomyces astaci* in freshwater crayfish poulations in Croatia. *Diseases of Aquatic Organisms*, **118**, 45-53, doi: 10.3354/dao02955.

MAKKONEN, J., KOKKO, H., GÖKMEN, G., WARD, J., UMEK, J., KORTET, R., PETRUSEK, A. & JUSSILA, J. (2019). The signal crayfish (Pacifastacus leniusculus) in Lake Tahoe (USA) hosts multiple *Aphanomyces* species. *Journal of Invertebrate Pathology*, **166**, 107218, doi: 10.1016/j.jip.2019.107218.

MAKKONEN, J., KOKKO, H., VAINIKKA, A., KORTET, R. & JUSSILA, J. (2014). Dose-dependent mortality of the noble crayfish (*Astacus astacus*) to different strains of the crayfish plague (*Aphanomyces astaci*). *Journal of Invertebrate Pathology*, **115**, 86-91.

MAKKONEN, J., JUSSILA, J., KORTET, R., VAINIKKA, A. & KOKKO, H. (2012). Differing virulence of *Aphanomyces astaci* isolates and elevated resistance of noble crayfish *Astacus astacus* against crayfish plague. *Diseases of Aquatic Organisms*, **102**, 129-136.

MAKKONEN, J. KOKKO, H., HENTTONEN, P. &JUSSILA, J. (2010). Crayfish plague (*Aphanomyces astaci*) can be vertically transferred during artificial incubation of crayfish eggs: preliminary results. *Freshwater crayfish*, **17**, 151-153.

MARTÍNEZ-RÍOS, M., LAPESA-LÁZARO, S., LARUMBE-ARRICIBITA, J., ALONSO-GUTIÉRREZ, F., GALINDO-PARRILA, F.J., MARTÍN-TORRIJOS, L. & DIÉGUEZ-URIBEONDO, J. (2022). Resistance to crayfish plague: assessing the response of native Iberian populations of the white-clawed freshwater crayfish. *Journal of Fungi*, **342**, doi: 10.3390/jof8040342.

MRUGAŁA, A., KAWAI, T., KOZUBÍKOVÁ-BALCAROVÁ, E. & PETRUSEK, A. (2017a). *Aphanomyces astaci* presence in Japan: a threat to the endemic and endangered crayfish species *Cambaroides japonicus*? *Aquatic Conservation: Marine and Freshwater Ecosystems*, **27(1)**, 103-114.

MRUGAŁA, A., ŠANDA, R., PETRUSEK, A., MARIĆ, D. & VUKIĆ, J. (2017b). Recent acute crayfish mortality reveals *Aphanomyces astaci* presence in Bosnia and Herzegovina. *Journal of Invertebrate Pathology*, **73-75**.

OIDTMANN, B., GEIGER, S., STEINBAUER, P., CULAS, A. & HOFFMANN, R.W. (2006). Detection of *Aphanomyces astaci* in North American crayfish by polymerase chain reaction. *Diseases of Aquatic Organisms*, **72**, 53-64.

OIDTMANN, B., HEITZ, E., ROGERS, D. & HOFFMANN, R.W. (2002). Transmission of crayfish plague. *Diseases of Aquatic Organisms*, **52**, 159-167.

OIDTMANN, B., CERENIUS, L., SCHMID, I., HOFFMANN, R. & SÖDERHÄLL, K. (1999). Crayfish plague epizootics in Germany - classification of two German isolates of the crayfish plague fungus *Aphanomyces astaci* by random amplification of polymorphic DNA. *Diseases of Aquatic Organisms*, **35**, 235-238.

PÂRVULESCU, L., SCHRIMPF, A., KOZUBÍ KIVA, E., RESINO, S.C., VRÅLSTAD, PETRUSEK, A. & SCHULZ, R. (2012). Invasive crayfish and crayfish plague on the move: first detection of the plague agent *Aphanomyces astaci* in the Romanian Danube. *Diseases of Aquatic Organisms*, **98**, 85-94.

PAVIĆ, D., BIELEN, A., HUDINA, S., ŠPOLJARIĆ, I., GRANDJEAN, F., JUSSILA, J. & MAGUIRE, I. (2021). Distribution of *Aphanomyces astaci* Schikora, 1906, the causative agent of crayfish plague, in the Plitvice Lakes National Park, Croatia. *BioInvasions Records*, **10(3)**, 654-668.

RUSCH, J.C., STRAND, D.A., LAURENDZ, C., ANDERSEN, T., JOHNSEN, S.I., EDSMAN, L. & VRÅLSTAD, T. (2022). Exploring the eDNA dynamics of the host-pathogen pair *Pacifastacus leniusculus* (decapoda) and *Aphanomyces astaci* (Saprolegniales) under experimental conditions. *NeoBiota*, **9**, 1-29, doi: 10.3897/neobiota.79.82793.

SCHRIMPF, A., CHUCHOLL, C., SCHMIDT, T. & RALF SCHULZ, R. (2013a). Crayfish plague agent detected in populations of the invasive North America crayfish *Orconectes immunis* (Hage, 1870) in the Rhine River, German. *Aquatic Invasions*, **8(1)**, 103-109.

SCHRIMPF, A., MAIWALD, T., VRÅLSTAD, T., SCHULZ, H.K., ŚMIETANA, P. & SCHULZ, R. (2013b). Absence of the crayfish plague pathogen (*Aphanomyces astaci*) facilitates coexistence of European and American crayfish in central Europe. *Freshwater Biology*, **58**, 1116-1125.

SCHRIMPF, A., PÂRVULESCU, L., COPILAŞ-COICIANU, PETRUSEKT, A. & SCHULZ, R. (2012). Crayfish plague pathogen detected in the Danube Delta - a potential threat to freshwater biodiversity in southeastern Europe. *Aquatic Invasions*, **7(4)**, 503-510.

STRAND, D.A., JOHNSEN, S.I., RUSCH, J.C., AGERSNAP, S., LARSEN, W.B., KNUDSEN, S.W., MØLLER, P.R. & VRÅLSTAD, T. (2019). Monitoring a Norwegian freshwater crayfish tragedy: eDNA snapshots invasion, infection and extinction. *Journal of Applied Ecology*, **56**, 1661-1673, doi: 10.1111/1365-2664.13404.

SVODOBA, J., KOZUBÍKOVÁ, E., KOZÁK, P., KOUBA, A., KOCA, S.B., DILER, Ö., DILER, I., POLICAR, T. & PETRUSEK, A. (2012). PCR detection of the crayfish plague pathogen in the narrow-clawed crayfish inhabiting Lake Eğirdir in Turkey. *Diseases of Aquatic Organisms*, **98**, 255-259.

UNESTAM, T. & WEISS, D.W. (1970). The host-parasite relationship between freshwater crayfish and the crayfish disease fungus *Aphanomyces astaci*: responses to infection by a susceptible and a resistant species. *Microbiology*, **60(1)**, 77-90.

UNGUREANU, E., MOJŽIŠOVÁ, M., TANGERMAN, M., ION, M.C., PÂRVULESCU, L. & PETRUSEK, A. (2020). The spatial distribution of *Aphanomyces astaci* Genotypes across Europe: Introducing the First Data from Ukraine. *Freshwater Crayfish*, **25(1)**, 77-87.

VENNERSTRÖM, P., SÖDERHÄLL, K. & CERENIUS, L. (1998). The origin of two crayfish plague (*Aphanomyces astaci*) epizootics in Finland on noble crayfish, *Astacus astacus*. *Annals Zoologici Fennici*, **35**, 43-46.

VILJAMAA-DIRKS, X., HEINIKAINEN, S., TORSSONEN, H., PURSIAINEN, M., MATTILA, J. & PELKONEN, S. (2013). Distribution and epidemiology of genotypes of the crayfish plague agent *Aphanomyces astaci* from noble crayfish *Astacus astacus* in Finland. *Diseases of Aquatic Organisms*, **103**, 199-208.

VILJAMAA-DIRKS, S., HEINIKAINEN, S., NIEMINEN, M., VENNERSTRÖM, P. & PELKONEN, S. (2011). Persistent infection by crayfish plage *Aphanomyces astaci* in a noble crayfish population - a case report. *Bulletin of European Association of Fish Pathologists*, **31**, 182-188.

VRÅLSTAD, T., STRAND, D.A., GRANDJEAN., F., KVELLESTAD, A., HÅSTEIN, T., KNUSTEN, A.K., TAUGBØL, T. & SKAAR, I. (2014). Molecular detection and genotyping of *Aphanomyces astaci* directly from preserved crayfish samples uncovers the Norwegian crayfish plague disease history. *Veterinary Microbiology*, **173**, 66-75.

VRÅLSTAD, T., KNUTSEN, A.K., TENGS, T. & HOLST-JENSEN, A. (2009). A quantitative TaqMan® MGB real-time polymerase chain reaction based assay for detection of the causative agent of crayfish plague *Aphanomyces astaci*. *Veterinary Microbiology*, **137(1-2)**, 146-155.

WORLD ORGANISATION FOR ANIMAL HEALTH (2009). Event 747 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/747/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2013). Event 1450 - Norway - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/1450/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2015). Event 1822 - Ireland - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/1822/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2018). Event 2703 - United Kingdom - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/2703/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2022). Event 6241 - Croatia - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/6241/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2010a). Event 894 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/894/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2010b). Event 961 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/961/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2011a). Event 1043 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/1043/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2011b). Event 1116 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/1116/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2011c). Event 1124 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/1124/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2011d). Event 1126 - Norway - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/1126/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2013a). Event 1505 - Chinese Taipei - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/1505/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2013b). Event 1480 - Israel - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/1480/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2017a). Event 2304 - Ireland - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/2304/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2017b). Event 2367 - Ireland - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/2367/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2020a). Event 3315 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/3315/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2020b). Event 3463 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/3464/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2023a). Event 5226 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/5226/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2023b). Event 5240 - United Kingdom - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/5240/dashboard, accessed on 07/04/2025.

WORLD ORGANISATION FOR ANIMAL HEALTH (2023c). Event 5344 - Italy - *Aphanomyces astaci* (Inf. with)(Crayfish plague). *WAHIS* - https://wahis.woah.org/#/in-event/5344/dashboard, accessed on 07/04/2025.

_____

…/Annexes

Annex 1. List of Participants

AD HOC GROUP ON SUSCEPTIBILITY OF CRUSTACEANS SPECIES TO INFECTION WITH WOAH LISTED DISEASES

Paris, 8 to 10 April 2025

_____

List of participants

MEMBERS OF THE *AD HOC* GROUP

Dr Kelly Bateman (Chair)
Pathology Team Leader - Crustacean Health Theme Lead
WOAH Collaborating Centre for Emerging Aquatic Animal Diseases

Dr Jorge Cuéllar-Anjel
International Consultant on Aquatic Animal Health
COLOMBIA

Dr Arun Dhar
Aquaculture Pathology Laboratory
School of Animal and Comparative Biomedical Sciences
University of Arizona
UNITED STATES

Dr Nick Moody
Research Group Leader – ACDP Fish Diseases Laboratory
Australian Centre for Disease Preparedness
CSIRO
Geelong
AUSTRALIA

Prof. Han-Ching Wang
International Center for the Scientific Development of Shrimp Aquaculture (ICDSA),
National Cheng Kung University (NCKU)
No. 500, Sec. 3, Anming Road,
Annan District, Tainan City 709
CHINESE TAIPEI

WOAH HEADQUARTERS

Dr Patricia Kelly
Scientific Coordinator for Aquatic Animal Health
Standards Department
standards.dept@woah.org

Annex 2. Terms of Reference

MEETING OF THE WOAH *AD HOC* GROUP ON SUSCEPTIBILITY OF CRUSTACEAN SPECIES TO WOAH LISTED DISEASES

Paris, 8 to 10 April 2025

_____

Terms of reference

Background

Chapter 1.5. 'Criteria for listing species as susceptible to infection with a specific pathogenic agent' of the *Aquatic Code*, provides criteria for determining which host species are listed as susceptible in Article X.X.2. of each disease-specific chapter in the *Aquatic Code*.

Assessments for all of the WOAH listed diseases are being undertaken progressively by *ad hoc* Groups. Once completed, the revised list of susceptible species in the relevant Article X.X.2. of the *Aquatic Code* is circulated for Member comment and then presented for adoption.

Species, where there is some evidence of susceptibility but insufficient evidence to demonstrate susceptibility are included in the relevant disease-specific chapter in the *Aquatic Manual*.

The *ad hoc* Group on Susceptibility of Crustacean Species to Infection with WOAH Listed Diseases completed assessments for infection with *Aphanomyces astaci* (crayfish plague) in October 2015; however, there is new scientific evidence that needs to be assessed.

Purpose

The *ad hoc* Group on Susceptibility of crustacean species to infection with WOAH listed diseases will undertake reassessments for infection with crayfish plague in crustaceans using new scientific evidence since the October 2015 assessments.

Terms of Reference

1) Review relevant literature documenting susceptibility of species for infection with crayfish plague and apply the criteria, as outlined in Chapter 1.5. 'Criteria for listing species as susceptible to infection with a specific pathogen', to potential host species.

2) Determine susceptible species for infection with crayfish plague based on Article 1.5.7.

3) Determine species with incomplete evidence for susceptibility for infection with crayfish plague based on Article 1.5.8.

Expected outputs of the *ad hoc* Group

1) Propose a list of susceptible species for inclusion in the Article 9.2.2. of Chapter 9.2. 'Infection with crayfish plague' in the *Aquatic Code.*

2) Propose a list of species with incomplete evidence for susceptibility for inclusion in Section 2.2.1. and Section 2.2.2. of Chapter 2.2.2. Infection with crayfish plague of the *Aquatic Manual*.

3) A report for consideration by the Aquatic Animals Commission at its September 2025 meeting.

_____