

# OIE Reference Laboratory Reports Activities

## *Activities in 2021*

**This report has been submitted : 2022-01-14 19:36:57**

<b>Name of disease (or topic) for which you are a designated OIE Reference Laboratory:</b>	Swine vesicular disease
<b>Address of laboratory:</b>	Via A. Bianchi No. 9 25124 Brescia ITALY
<b>Tel.:</b>	+390-30 229 0614
<b>Fax:</b>	+390-30 229 03 69
<b>E-mail address:</b>	giulia.pezzoni@izsler.it
<b>Website:</b>	www.izsler; www.cerves.it
<b>Name (including Title) of Head of Laboratory (Responsible Official):</b>	Dr. Piero Frazzi Director General
<b>Name (including Title and Position) of OIE Reference Expert:</b>	To Be Decided
<b>Which of the following defines your laboratory? Check all that apply:</b>	Governmental

**ToR 1: To use, promote and disseminate diagnostic methods validated according to OIE Standards**

1. Did your laboratory perform diagnostic tests for the specified disease/topic for purposes such as disease diagnosis, screening of animals for export, surveillance, etc.? (Not for quality control, proficiency testing or staff training)

Yes

Diagnostic Test	Indicated in OIE Manual (Yes/No)	Total number of test performed last year	
		Nationally	Internationally
Indirect diagnostic tests			
Competitive ELISA (OIE prescribed test for screening)	Yes	27.355 (ref lab)+ 20,000 (other regional labs)	0
IgG-specific ELISA	Yes	56	0
IgM-specific ELISA	Yes	56	0
Virus Neutralization Test	Yes	56	35
Direct diagnostic tests			
Realtime RT-PCR (3D-fragment)	Yes	231	

**ToR 2: To develop reference material in accordance with OIE requirements, and implement and promote the application of OIE Standards.  
To store and distribute to national laboratories biological reference products and any other reagents used in the diagnosis and control of the designated pathogens or disease.**

2. Did your laboratory produce or supply imported standard reference reagents officially recognised by the OIE?

No

3. Did your laboratory supply standard reference reagents (non OIE-approved) and/or other diagnostic reagents to OIE Member Countries?

Yes

Type of reagent available	Related diagnostic test	Produced/ provide	Amount supplied nationally (ml, mg)	Amount supplied internationally (ml, mg)	No. of recipient OIE Member Countries	Region of recipients
Assembled reagents for 5B7-competitive ELISA (capture and conj. mAbs, inactivated SVDV antigen, control sera)	5B7-Competitive ELISA (OIE prescribed test for Ab detection)	Produced and provided	For testing of 30.000 sera in regional labs + 34.310 sera at NRL	0	1	<input type="checkbox"/> Africa <input type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East
Assembled reagents for SVDV IgG-ELISA	SVDV IgG-ELISA for Ab detection class IgG	Produced and provided	For testing of 59 sera (NRL Italy)	0	1	<input type="checkbox"/> Africa <input type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East
Assembled reagents for SVDV IgM-ELISA	SVDV IgM-ELISA for Ab detection class IgM	Produced and provided	For testing of 59 sera (NRL Italy)	0	1	<input type="checkbox"/> Africa <input type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East
5B7 capture mAb	5B7-Competitive ELISA (OIE prescribed test for Ab detection)	Produced and provided		5 mL	2	<input type="checkbox"/> Africa <input checked="" type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East
5B7 peroxidase-conjugated mAb	5B7-Competitive ELISA (OIE prescribed test for Ab detection)	Produced and provided		11.8 mL	2	<input type="checkbox"/> Africa <input checked="" type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East

SVDV inactivated antigen	5B7-Competitive ELISA (OIE prescribed test for Ab detection)	Produced and provided		60 mL	1	<input type="checkbox"/> Africa <input type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East
Positive Control Serum	5B7-Competitive ELISA (OIE prescribed test for Ab detection)	Produced and provided		1 mL	1	<input type="checkbox"/> Africa <input type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East
Negative Control Serum	5B7-Competitive ELISA (OIE prescribed test for Ab detection)	Produced and provided		1 mL	1	<input type="checkbox"/> Africa <input type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East
Reference Control Serum	5B7-Competitive ELISA (OIE prescribed test for Ab detection)	Produced and provided		1 mL	1	<input type="checkbox"/> Africa <input type="checkbox"/> Americ as <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East

4. Did your laboratory produce vaccines?

No

5. Did your laboratory supply vaccines to OIE Member Countries?

No

***ToR 3: To develop, standardise and validate, according to OIE Standards, new procedures for diagnosis and control of the designated pathogens or diseases***

6. Did your laboratory develop new diagnostic methods validated according to OIE Standards for the designated pathogen or disease?

No

7. Did your laboratory develop new vaccines according to OIE Standards for the designated pathogen or disease?

No

**ToR 4: To provide diagnostic testing facilities, and, where appropriate, scientific and technical advice on disease control measures to OIE Member Countries**

8. Did your laboratory carry out diagnostic testing for other OIE Member Countries?

Yes

Name of OIE Member Country seeking assistance	Date (month)	No. samples received for provision of diagnostic support	No. samples received for provision of confirmatory diagnoses
CYPRUS	July 2021	35	0

9. Did your laboratory provide expert advice in technical consultancies on the request of an OIE Member Country?

Yes

Name of the OIE Member Country receiving a technical consultancy	Purpose	How the advice was provided
ITALY	Technical consultancy to the central authority for the interruption of the SVD National Surveillance Plan in light of the acquired SVDV free status of Italy from 2019 and the absence of SVDV seropositivity in the last two years.	Technical explanations and advice
ITALY	Technical consultancy to laboratories and local veterinary services for lab results interpretations and follow up activities	Technical explanations and advice
FRANCE	Technical consultancy	Provision of the protocols for SVDV full genome and VP1 sequencing

**ToR 5: To carry out and/or coordinate scientific and technical studies in collaboration with other laboratories, centres or organisations**

10. Did your laboratory participate in international scientific studies in collaboration with OIE Member Countries other than the own?

No

**ToR 6: To collect, process, analyse, publish and disseminate epizootiological data relevant to the designated pathogens or diseases**

11. Did your Laboratory collect epizootiological data relevant to international disease control?

No

If the answer is no, please provide a brief explanation of the situation:
The disease was never reported during 2021. In Italy, the National Surveillance plan has been interrupted starting from 2021 in light of the recognition of SVD-free status in 2019 and the absence of seropositivity in the last two years. Thus, as in the majority of member countries, SVD investigations has been conducted almost exclusively for differential diagnosis with other vesicular conditions of pigs or for import-export requirements.

12. Did your laboratory disseminate epizootiological data that had been processed and analysed?

No

If the answer is no, please provide a brief explanation of the situation:
See above for the motivation

**13. What method of dissemination of information is most often used by your laboratory? (Indicate in the appropriate box the number by category)**

a) Articles published in peer-reviewed journals: 1

Pezzoni G, Bregoli A, Chiapponi C, Grazioli S, Di Nardo A, Brocchi E. Retrospective Characterization of the 2006-2007 Swine Vesicular Disease Epidemic in Northern Italy by Whole Genome Sequence Analysis. *Viruses*. 2021 Jun 22;13(7):1186. doi: 10.3390/v13071186. PMID: 34206208.0

b) International conferences: 1

Poster presentation and participation in the Discontools Symposium "Filling the knowledge gaps in animal disease control" 20 October 2021, Brussels Belgium:

A.Bregoli, D.Benedetti1,M.Calzolari1,C.Chiapponi1, S.Grazioli, E.A.Foglia, G.Pezzoni, E.Brocchi, "MOLECULAR EVOLUTION OF SWINE VESICULAR DISEASE VIRUS IN ITALY FROM 1992 TO THE ERADICATION".

c) National conferences: 1

National Workshop on SVD updates for experts of Italian Regional laboratories and official veterinarians. On-line meeting held in November 2021.

Lessons provided:

Update about the decision of the Italian Ministry of health to interrupt the National Surveillance Plan in place since 1995 in light of the recognition of SVD-free status in 2019 and the absence of seropositivity in the last two years.

SVDV Proficiency tests: scopes and overview of results of proficiency tests organised by the National/OIE reference Laboratory

d) Other:

(Provide website address or link to appropriate information) 1

Publication on a National epidemiological Bulletin:

Palermo Pierpaolo, Plasmati Francesco, Barca Lorella.

Swine Vesicular Disease eradication in Calabria region. Results and objectives.

Bollettino epidemiologico Nazionale veterinario. N. 34 \_2021

BENV | Bollettino Epidemiologico Nazionale Veterinario (izs.it)

**ToR 7: To provide scientific and technical training for personnel from OIE Member Countries****To recommend the prescribed and alternative tests or vaccines as OIE Standards**

14. Did your laboratory provide scientific and technical training to laboratory personnel from other OIE Member Countries?

No

**ToR 8: To maintain a system of quality assurance, biosafety and biosecurity relevant for the pathogen and the disease concerned**

15. Does your laboratory have a Quality Management System?

Yes

Quality management system adopted	Certificate scan (PDF, JPG, PNG format)
ISO 17025	CERTIFICATO-DI-ACCREDITAMENTO.pdf

16. Is your quality management system accredited?

Yes

Test for which your laboratory is accredited	Accreditation body
5B7-Competitive ELISA (OIE prescribed test for screening)	Accredia - Italy System Accreditation Service
Virus Neutralization Test	Accredia - Italy System Accreditation Service
Sandwich ELISA for antigen detection (mAbs-based)	Accredia - Italy System Accreditation Service
Conventional RT-PCR 3D-gene	Accredia - Italy System Accreditation Service
Real Time RT PCR 3D-gene	Accredia - Italy System Accreditation Service
The other tests in use (Virus Isolation, IgG and IgM ELISA) are IZSLER-coded tests, subject to regular internal and external QC	

17. Does your laboratory maintain a "biorisk management system" for the pathogen and the disease concerned?

Yes

*(See Manual of Diagnostic Tests and Vaccines for Terrestrial Animals, Chapter 1.1.4)***ToR 9: To organise and participate in scientific meetings on behalf of the OIE**

18. Did your laboratory organise scientific meetings on behalf of the OIE?

No

19. Did your laboratory participate in scientific meetings on behalf of the OIE?

No

**ToR 10: To establish and maintain a network with other OIE Reference Laboratories designated for the same pathogen or disease and organise regular inter-laboratory proficiency testing to ensure comparability of results**

20. Did your laboratory exchange information with other OIE Reference Laboratories designated for the same pathogen or disease?

Yes

21. Was your laboratory involved in maintaining a network with OIE Reference Laboratories designated for the same pathogen or disease by organising or participating in proficiency tests?

Yes

Purpose of the proficiency tests: <sup>1</sup>	Role of your Reference Laboratory (organiser/participant)	No. participants	Participating OIE Ref. Labs/ organising OIE Ref. Lab.
The Proficiency Test 2021, organized by the FMD-EURL (ANSES-France & Sciensano-Belgium), included evaluation of laboratory capability to early detection and differential diagnosis of FMD/SVD outbreaks using virological and serological methods. Testing panels comprised live viruses for FMDV/SVDV detection, typing and sequencing and serum samples for SVD serological tests.	Participant	>30	Participating Labs: NRLs of EU member countries, the OIE Reference Lab for SVD, The Pirbright Institute-UK and some EU candidate countries Organising labs: ANSES (France) & Sciensano (Belgium)

<sup>1</sup> validation of a diagnostic protocol: specify the test; quality control of vaccines: specify the vaccine type, etc.

22. Did your laboratory collaborate with other OIE Reference Laboratories for the same disease on scientific



research projects for the diagnosis or control of the pathogen of interest?

No

**ToR 11: To organise inter-laboratory proficiency testing with laboratories other than OIE Reference Laboratories for the same pathogens and diseases to ensure equivalence of results**

23. Did your laboratory organise or participate in inter-laboratory proficiency tests with laboratories other than OIE Reference Laboratories for the same disease?

Yes

Note: See Interlaboratory test comparisons in: Laboratory Proficiency Testing at: <http://www.oie.int/en/our-scientific-expertise/reference-laboratories/proficiency-testing> see point 1.3

Purpose for inter-laboratory test comparisons <sup>1</sup>	No. participating laboratories	Region(s) of participating OIE Member Countries
Organisation of the annual inter-laboratory test to monitor the harmonisation and performance of the 5B7-competitive ELISA for SVDV Ab detection carried out in 10 Italian regional laboratories for the national surveillance plan.	10 regional labs in Italy	<input type="checkbox"/> Africa <input type="checkbox"/> Americas <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East

**ToR 12: To place expert consultants at the disposal of the OIE**

24. Did your laboratory place expert consultants at the disposal of the OIE?

No

25. Additional comments regarding your report: